

# Material Safety Data Sheet



ECO-SAN

## Section 1. Chemical product and company identification

**Trade name** : ECO-SAN  
**Product use** : Sanitizer.  
**Supplier** : Ecolab Inc. Institutional Division  
370 N. Wabasha Street  
St. Paul, MN 55102  
1-800-352-5326  
**Code** : 900043-02  
**Date of issue** : **25-February-2005**  
**EPA** : 1677-52  
**Registraion**  
**No.**

**EMERGENCY HEALTH INFORMATION: 1-800-328-0026**  
**Outside United States and Canada CALL 1-651-222-5352**

## Section 2. Composition, Information on Ingredients

<u>Name</u>	<u>CAS number</u>	<u>% by weight</u>
sodium hypochlorite	7681-52-9	8.4

## Section 3. Hazards identification

**Physical state** : Liquid. (Liquid.)  
**Emergency overview** : Danger!

CAUSES EYE AND SKIN BURNS.  
HARMFUL IF SWALLOWED.  
CAUSES RESPIRATORY TRACT IRRITATION.

Do not ingest. Do not get in eyes, on skin or clothing. Avoid breathing vapor or mist. Keep container closed. Use only with adequate ventilation. Wash thoroughly after handling.

### Potential acute health effects

**Eyes** : Corrosive to eyes.  
**Skin** : Corrosive to the skin.  
**Inhalation** : Irritating to respiratory system.  
**Ingestion** : Corrosive. Harmful if swallowed. May cause burns to mouth, throat and stomach.

See toxicological information (section 11)

## Section 4. First aid measures

**Eye contact** : In case of contact, immediately flush eyes with cool running water. Remove contact lenses and continue flushing with plenty of water for at least 15 minutes. Get medical attention immediately.

**Skin contact** : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

**Inhalation** : If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**Ingestion** : Rinse mouth; then drink one or two large glasses of water. Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

## Section 5. Fire fighting measures

- Flash point** : > 100°C
- Products of combustion** : These products are halogenated compounds, hydrogen chloride, chlorine gas.
- Fire fighting media and instructions** : Use an extinguishing agent suitable for surrounding fires.
- Dike area of fire to prevent product run-off.
- No specific hazard.
- Special protective equipment for fire-fighters** : Fire fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full facepiece operated in positive pressure mode.

## Section 6. Accidental release measures

- Personal precautions** : Ventilate area of leak or spill. Do not touch damaged containers or spilled material unless wearing appropriate protective equipment (Section 8). Stop leak if without risk. Prevent entry into sewers, water courses, basements or confined areas.
- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
- Methods for cleaning up** : If emergency personnel are unavailable, contain spilled material. For small spills add absorbent (soil may be used in the absence of other suitable materials) scoop up material and place in a sealed, liquid-proof container for disposal. For large spills dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Place spilled material in an appropriate container for disposal.-

## Section 7. Handling and storage

- Handling** : Do not ingest. Do not get in eyes, on skin or on clothing. Keep container closed. Use only with adequate ventilation. Avoid breathing vapor or mist. Wash thoroughly after handling.
- Storage** : Keep out of the reach of children. Keep container tightly closed. Keep container in a cool, well-ventilated area.
- Do not store above 40°C

## Section 8. Exposure Controls, Personal Protection

- Engineering controls** : Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective occupational exposure limits. Ensure that eyewash stations and safety showers are proximal to the work-station location.

### Personal protection

- Eyes** : Use chemical splash goggles. For continued or severe exposure wear a face shield over the goggles.
- Hands** : Use chemical resistant, impervious gloves.
- Skin** : Use suitable protective equipment.
- Respiratory** : Avoid breathing vapor or mist.

**Consult local authorities for acceptable exposure limits.**

## Section 9. Physical and chemical properties

Physical state : Liquid. (Liquid.)  
 Color : Yellow. (Light.)  
 Odor : chlorine  
 pH : 12.5 (100%)  
 Specific gravity : 1.154 (Water = 1)

## Section 10. Stability and reactivity

Stability : The product is stable.  
 Reactivity : Extremely reactive or incompatible with acids.  
 Slightly reactive to reactive with metals.  
 Mixing this product with acid or ammonia releases chlorine gas.  
 Hazardous decomposition products : These products are halogenated compounds, hydrogen chloride, chlorine.

## Section 11. Toxicological information

### Potential acute health effects

Eyes : Corrosive to eyes.  
 Skin : Corrosive to the skin.  
 Inhalation : Irritating to respiratory system.  
 Ingestion : Corrosive. Harmful if swallowed. May cause burns to mouth, throat and stomach.  
 Chronic effects on humans : Contains material which causes damage to the following organs: upper respiratory tract, skin, eye, lens or cornea

## Section 12. Ecological information

Products of degradation : These products are halogenated compounds. Some metallic oxides.

## Section 13. Disposal considerations

Waste disposal : The generation of waste should be avoided or minimized wherever possible. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Waste classification : Unused product is D002 (Corrosive)

Consult your local or regional authorities.

## Section 14. Transport information

Regulatory information	UN number	Proper shipping name	Class	Packing group	Additional information
DOT Classification	UN1791	Hypochlorite solutions	8	III	<p><b>Limited quantity</b> Yes.</p> <p><b>Special provisions</b> IB3, N34, T4, TP2, TP24</p>

APPLIES ONLY DURING ROAD TRANSPORT

Any variation of the shipping description based on the packaging is not addressed.

