

# STAINBLASTER POWER PAK PLUS RECLAIM WHITE

## **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : STAINBLASTER POWER PAK PLUS RECLAIM WHITE

Other means of identification : Not applicable

Recommended use : Laundry product

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : 0.53 % - 0.63 %

Company : Ecolab Inc.

370 N. Wabasha Street

St. Paul, Minnesota USA 55102

1-800-352-5326

Emergency health

information

1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 02/25/2016

## **SECTION 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

**Product AS SOLD** 

Acute toxicity (Oral) : Category 4
Skin corrosion : Category 1A
Serious eye damage : Category 1

Specific target organ

systemic toxicity - single

exposure

: Category 3 (Respiratory system)

**Product AT USE DILUTION** 

Skin corrosion : Category 1A Serious eye damage : Category 1

### **GHS** label elements

**Product AS SOLD** 

Hazard pictograms





Signal Word : Danger

Hazard Statements : Harmful if swallowed.

Causes severe skin burns and eye damage.

May cause respiratory irritation.

Precautionary Statements : Prevention:

Do not breathe dusts or mists. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors

or in a well-ventilated area. Wear protective gloves/ protective

clothing/ eye protection/ face protection.

Response:

916779 1 / 12

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Wash contaminated clothing before reuse.

### Storage:

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

# Disposal:

Dispose of contents/ container to an approved waste disposal plant.

### **Product AT USE DILUTION**

Hazard pictograms



Signal Word : Danger

Hazard Statements : Causes severe skin burns and eye damage.

Precautionary Statements : Prevention:

Wash skin thoroughly after handling. Wear protective gloves/

protective clothing/ eye protection/ face protection.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep

comfortable for breathing. Immediately call a POISON

CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. Immediately call a POISON CENTER/doctor. Wash

contaminated clothing before reuse.

**Storage:** Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

**Product AS SOLD** 

Other hazards : Mixing this product with acid or ammonia releases chlorine gas.

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

**Product AS SOLD** 

Pure substance/mixture : Mixture

Chemical name	CAS-No.	Concentration (%)
Sodium Carbonate(soda)	497-19-8	30 - 60
ethylenediamine tetraacetate	64-02-8	10 - 30
sodium metasilicate	6834-92-0	10 - 30
Sodium dichloro-s-triazinetrione dihydrate	51580-86-0	5 - 10
poly(oxy-1,2-ethanediyl), a-(2-propylheptyl)-w-	160875-66-1	1 - 5
hydroxy-		
alcohol ethoxylate	68551-12-2	1 - 5

916779 2 / 12

# STAINBLASTER POWER PAK PLUS RECLAIM WHITE

Secondary Alkanesulphonates 5324-84-5 1 - 5 sodium dodecylbenzene sulfonate 25155-30-0 1 - 5 precipitated silica 112926-00-8 1 - 5

### **Product AT USE DILUTION**

No hazardous ingredients

### **SECTION 4. FIRST AID MEASURES**

**Product AS SOLD** 

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use

a mild soap if available. Wash clothing before reuse. Thoroughly clean

shoes before reuse. Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical attention

immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if

symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and

symptoms.

**Product AT USE DILUTION** 

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use

a mild soap if available. Wash clothing before reuse. Thoroughly clean

shoes before reuse. Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical attention

immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if

symptoms occur.

## **SECTION 5. FIRE-FIGHTING MEASURES**

**Product AS SOLD** 

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing : None known.

916779 3 / 12

## STAINBLASTER POWER PAK PLUS RECLAIM WHITE

media

Specific hazards during fire

fighting

: Not flammable or combustible.

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides

Oxides of phosphorus

Special protective equipment

for fire-fighters

: Use personal protective equipment.

Specific extinguishing

methods

: Fire residues and contaminated fire extinguishing water must be

disposed of in accordance with local regulations. In the event of fire

and/or explosion do not breathe fumes.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

## **Product AS SOLD**

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures

listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Sweep up and shovel into suitable containers for disposal.

# **Product AT USE DILUTION**

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions

: Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

# **SECTION 7. HANDLING AND STORAGE**

### **Product AS SOLD**

Advice on safe handling

: Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling. Mixing this product with acid or ammonia releases chlorine gas.

Conditions for safe storage

: Keep out of reach of children. Store in suitable labeled containers.

916779 4 / 12

Storage temperature : 0 °C to 50 °C

**Product AT USE DILUTION** 

Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not

breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate

ventilation. Wash hands thoroughly after handling.

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

# **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

# Product AS SOLD

Ingredients with workplace control parameters

Ingredients	CAS-No.	Form of exposure	Permissible concentration	Basis
precipitated silica	112926-00-8	TWA (Dust)	20 millions of particles per cubic foot of air	OSHA Z3
		TWA (Dust)	80 mg/m3 / %SiO2	OSHA Z3
		TWA	6 mg/m3	NIOSH REL
chlorine	7782-50-5	TWA	0.5 ppm	ACGIH
		STEL	1 ppm	ACGIH
		Ceiling	0.5 ppm 1.45 mg/m3	NIOSH REL
		С	1 ppm 3 mg/m3	OSHA Z1

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

### Personal protective equipment

Eye protection : Wear eye protection/ face protection.

Hand protection : Wear the following personal protective equipment:

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves,

safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes

and body in case of contact or splash hazard.

**Product AT USE DILUTION** 

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

916779 5 / 12

# STAINBLASTER POWER PAK PLUS RECLAIM WHITE

Personal protective equipment

Eye protection : Wear eye protection/ face protection.

Hand protection : Wear the following personal protective equipment:

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

: Personal protective equipment comprising: suitable protective gloves, Skin protection

safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**Product AS SOLD** 

**Appearance** : powder

Color : opalescent, white

Odor : Floral

Hq : 10.5 - 12.0. 1 %

Flash point : Not applicable

Odor Threshold : No data available

Melting point/freezing point : No data available

Initial boiling point and

boiling range

: > 100 °C

Evaporation rate : No data available Flammability (solid, gas) : No data available Upper explosion limit : No data available Lower explosion limit : No data available Vapor pressure : No data available Relative vapor density : No data available Relative density : No data available

Water solubility : soluble

Solubility in other solvents : No data available Partition coefficient: n-

octanol/water

Explosive properties

: No data available

: No data available

Autoignition temperature : No data available Thermal decomposition : No data available Viscosity, kinematic : No data available

Oxidizing properties : yes

Molecular weight : No data available VOC : No data available **Product AT USE DILUTION** 

liquid

colorless

Chlorine

10.5 - 11.5

916779 6/12

# STAINBLASTER POWER PAK PLUS RECLAIM WHITE

# **SECTION 10. STABILITY AND REACTIVITY**

**Product AS SOLD** 

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: Mixing this product with acid or ammonia releases chlorine gas.

Conditions to avoid : None known.

Incompatible materials : Acids

Metals

Organic materials

Hazardous decomposition

products

: Decomposition products may include the following materials:

Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides

Oxides of phosphorus

# **SECTION 11. TOXICOLOGICAL INFORMATION**

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

#### **Potential Health Effects**

**Product AS SOLD** 

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

Ingestion : Harmful if swallowed. Causes digestive tract burns.

Inhalation : May cause respiratory tract irritation. May cause nose, throat, and

lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

**Product AT USE DILUTION** 

: Causes serious eye damage. Eyes

Skin : Causes severe skin burns.

Ingestion : Causes digestive tract burns.

Inhalation : May cause nose, throat, and lung irritation.

: Health injuries are not known or expected under normal use. Chronic Exposure

### **Experience with human exposure**

**Product AS SOLD** 

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

916779 7/12

# STAINBLASTER POWER PAK PLUS RECLAIM WHITE

Inhalation : Respiratory irritation, Cough

**Product AT USE DILUTION** 

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

## **Toxicity**

**Product AS SOLD** 

Acute oral toxicity : Acute toxicity estimate : 1,778 mg/kg

Acute inhalation toxicity : No data available

Acute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg

Skin corrosion/irritation : No data available
Serious eye damage/eye : No data available

irritation

Respiratory or skin

sensitization

: No data available

Carcinogenicity : No data available
Reproductive effects : No data available
Germ cell mutagenicity : No data available
Teratogenicity : No data available
STOT-single exposure : No data available
STOT-repeated exposure : No data available
Aspiration toxicity : No data available

## **SECTION 12. ECOLOGICAL INFORMATION**

# Product AS SOLD Ecotoxicity

Environmental Effects : Toxic to aquatic life.

**Product** 

Toxicity to fish : No data available

Toxicity to daphnia and other : No data available

aquatic invertebrates

Toxicity to algae : No data available

Ingredients

Toxicity to fish : Sodium Carbonate(soda)

96 h LC50 Lepomis macrochirus (Bluegill sunfish): 300 mg/l

ethylenediamine tetraacetate 96 h LC50 Fish: 121 mg/l

sodium metasilicate 96 h LC50 Fish: 210 mg/l

916779 8 / 12

alcohol ethoxylate 96 h LC50 Fish: 1.5 mg/l

sodium dodecylbenzene sulfonate

96 h LC50: 3.2 mg/l

Ingredients

Toxicity to daphnia and other

aquatic invertebrates

: Sodium Carbonate(soda)

48 h EC50 Ceriodaphnia (water flea): 213.5 mg/l

Sodium dichloro-s-triazinetrione dihydrate

48 h EC50 Daphnia: 0.196 mg/l

poly(oxy-1,2-ethanediyl), a-(2-propylheptyl)-w-hydroxy-

48 h EC50 Daphnia: 10 mg/l

Secondary Alkanesulphonates 48 h EC50 Daphnia: 3,200 mg/l

### Persistence and degradability

No data available

## **Bioaccumulative potential**

No data available

## Mobility in soil

No data available

### Other adverse effects

No data available

## **SECTION 13. DISPOSAL CONSIDERATIONS**

**Product AS SOLD** 

Disposal methods : The product should not be allowed to enter drains, water courses or

the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste

disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

RCRA - Resource

Conservation and Recovery Authorization Act Hazardous waste : D002 (Corrosive)

**Product AT USE DILUTION** 

Disposal methods : Where possible recycling is preferred to disposal or incineration. If

recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

916779 9 / 12

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and federal regulations.

# **SECTION 14. TRANSPORT INFORMATION**

### **Product AS SOLD**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

UN number : 3262

Description of the goods : Corrosive solid, basic, inorganic, n.o.s.

(sodium metasilicate, sodium carbonate, troclosene sodium,

dihydrate)

Class : 8
Packing group : II
Environmentally hazardous : no

Sea transport (IMDG/IMO)

UN number : 3262

Description of the goods : CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.

(sodium metasilicate, sodium carbonate, troclosene sodium,

dihydrate)

Class : 8
Packing group : II
Marine pollutant : yes

## **SECTION 15. REGULATORY INFORMATION**

### **Product AS SOLD**

## **EPCRA - Emergency Planning and Community Right-to-Know**

## **CERCLA Reportable Quantity**

Ingredients	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
sodium dodecylbenzene sulfonate	25155-30-0	1000	88605

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Acute Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting requirements

of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with known

CAS numbers that exceed the threshold (De Minimis) reporting levels

established by SARA Title III, Section 313.

### California Prop 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

916779 10 / 12

The ingredients of this product are reported in the following inventories:

## Switzerland. New notified substances and declared preparations :

not determined

### **United States TSCA Inventory:**

On TSCA Inventory

### Canadian Domestic Substances List (DSL):

This product contains one or several components listed in the Canadian NDSL.

## Australia Inventory of Chemical Substances (AICS):

not determined

## New Zealand. Inventory of Chemical Substances:

not determined

### Japan. ENCS - Existing and New Chemical Substances Inventory :

not determined

### Japan. ISHL - Inventory of Chemical Substances (METI) :

not determined

# Korea. Korean Existing Chemicals Inventory (KECI):

not determined

# Philippines Inventory of Chemicals and Chemical Substances (PICCS) :


not determined

## China. Inventory of Existing Chemical Substances in China (IECSC):

not determined

## **SECTION 16. OTHER INFORMATION**

# Product AS SOLD NFPA:



### HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,


2 = Moderate, 3 = High

4 = Extreme, \* = Chronic

## **Product AT USE DILUTION**

916779 11 / 12

# STAINBLASTER POWER PAK PLUS RECLAIM WHITE



Issuing date : 02/25/2016

Version : 1.3

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

916779 12 / 12